

PERMIT 025



**POLLUTION PREVENTION AND CONTROL ACT 1999
ENVIRONMENTAL PERMITTING (ENGLAND AND WALES) REGULATIONS 2010**

PERMIT OF PROCESS

THIS IS TO CERTIFY THAT the process of blending of cement based renders

at: **PERMAROCK PRODUCTS LTD, JUBILEE DRIVE , LOUGHBOROUGH
LEICESTERSHIRE LE11 5TW**

National Grid Ref: SK 531 201

has been duly permitted in accordance with Regulation 13(1) of the Environmental Permitting (England and Wales) Regulations 2010 subject to the conditions outlined in this document.

Name of Operator: **CARILLION PLC**
Registered Office: **24 BIRCH STREET, WOLVERHAMPTON WV1 4HY**

This Permit shall apply only to the installation detailed above. This Permit, consisting of eleven pages, shall be subject to replacement, variation or amendment, as may be considered appropriate by Charnwood Borough Council at any time, according to provisions of Regulations, 18, 20, and 34 of the Environmental Permitting (England and Wales) Regulations 2010.

The conditions contained herein shall apply from the date of the Permit unless otherwise stated.

Signed on behalf of Charnwood Borough Council

..... Dated 26 January 2012
Beverley Green, Lead Officer- Environmental Protection
(the delegated officer for the purpose)

Counter-signed.....

Regulatory Services, Environmental Protection, Southfields, Southfield Road Loughborough LE11 2TX_

PERMIT 025**Introductory note*****This introductory note does not form a part of the permit***

The following Permit is issued under Regulation 13 of the Environmental Permitting (England and Wales) Regulations 2010 (SI 2010/675), as amended, (“the EP Regulations”) to operate an installation carrying out one or more of the activities listed in Part 2 of Schedule 1 of the EP Regulations, to the extent authorised by the Permit:

Section 3.1, Part B (b)

"Any activity of blending cement in bulk or using cement in bulk other than at a construction site, including the bagging of cement and cement mixtures, the batching of ready-mixed concrete and the manufacture of concrete blocks and other cement products”.

Status Log

Detail	Date	Comment
Deemed Application	30 April 1992	Duly made
Permit issued	19 April 1993	EPA permit issued
Permit variations issued	21 April 1999 22 October 2003 7 April 2006 27 April 2007 26 February 2008 23 February 2009	Permit transferred to PPC Regulations Consolidated permit issued Consolidated permit issued Consolidated permit issued Permit transferred to EPR Regulations
Permit variation issued	21 March 2011	Change to Registered Office Address
Permit variation issued	13 October 2011	Change to Registered Office Address
Permit variation issued	26 January 2012	

Origins of the conditions contained in the permit

The Secretary of State has issued various guidance notes to local authorities to assist with determining those conditions which represent ‘best available technique’ in the different circumstances which apply to each installation. The conditions within this permit have been derived from the following guidance note:

PG 3/1 (04) Blending, Packing, Loading, Unloading and Use of Bulk Cement

Process Description

PERMIT 025

The process involves batch blending and use of cement in 5 tonne batches and takes place in a drum blender.

Plant Detail

The process utilises: -

1. One sack tip station
2. One FIBC discharge station
3. Two AMC conveyors
4. One 5 ton drum blender
5. Two 2.5 ton hoppers
6. Two 25kg sack fillers
7. One FIBC filling station
8. One screw feed unit
9. One UMA 452 G12 filter and fan unit No 613133 incorporating a fabric filter.

Raw materials are stored in one tonne FIBC big bags and 25kg sacks

Plant Operation

Raw materials are stored in the warehouse prior to use. Materials required for processing are taken from the warehouse into the production area in five tonne lots; these lots consist of FIBC big bags and 25kg sacks depending on the recipe

FIBC big bags are loaded into the blender via the FIBC discharge station, material is then conveyed to the blender by the AMC conveyor. The FIBC discharge station is connected to a fabric filter dust extraction unit, the conveyor is a sealed unit with the exception of a filter sock over an air vent to allow air to expel.

25kg sacks are loaded into the blender via the sack tip station, material is then conveyed to the blender by the AMC conveyor. The sack tip station is connected to the extraction unit; the conveyor is a sealed unit with the exception of a filter sock over an air vent to allow air to expel.

The blender is connected to the extraction unit at the input spout to collect any expelled air.

Mixing is undertaken for 10 minutes and the blended product is discharged into two 2.5 tonne hoppers via the screw feed unit and AMC conveyor. The AMC conveyor, screw feed

PERMIT 025

unit and hoppers are sealed units with the exception of filter socks over air vents at the bottom of the AMC and the top of the hoppers to allow air to expel.

Blended product is then discharged into 25kg valve sacks via the sack fillers and palletised; both sack fillers are connected to the extraction unit

Blended product can also be discharged in to FIBC big bags via the FIBC filling station connected to hopper two; this equipment is connected to the extraction unit.

Principle Emissions

The key emissions that constitute pollution are particulate matter (cement dust, aggregate dust) arising from the use of the following raw materials:

- 1) Coarse and fine aggregate.
- 2) Cement (OPC)

End of Introductory Note

PERMIT 025

The above named company is permitted to operate a cement blending and bagging activity subject to compliance with the following conditions:

Permit Conditions**Emission Limits, monitoring and other provisions**

1. The following emission limits shall be complied with:

Row	Particulate matter	Emission Limit	Type of monitoring	Monitoring frequency
1	Whole process	No visible emission across the site boundary	Operator observations. To be recorded in a log book under condition 2 below.	At least daily

Monitoring, investigations and recording

2. All inspections and assessments shall be recorded in a log book on a daily basis. Details of visual assessments shall include the following information when a visible emission to atmosphere is apparent: -
- i) Date and time of observation
 - ii) Wind direction
 - iii) Weather conditions
 - iv) Position of observation
 - v) Assessment
 - vi) Identification of observed plant

Where the assessment is that there are no visible emissions, items ii), iii) and iv) need not be recorded.

3. The log book must be retained by the operator for a minimum of two (2) years and made available for examination by an authorised officer of Charnwood Borough Council. Any historical records kept off-site shall be made available for inspection within one working day on request from an officer of Charnwood Borough Council.

PERMIT 025

Visible emissions

4. All emissions to air, other than steam or water vapour, shall be free from persistent visible emissions.
5. All emissions to air shall be free from droplets.
6. Regular visual assessments of emissions of cement and cementitious powders to the external atmosphere shall be made on a random basis, at least daily, by the operator. The visual assessment shall be made having regard to the piece(s) of plant or equipment in operation at the time. The time, location and result of the assessments shall be recorded in a log book required by condition 2.
7. Where in the opinion of an officer from Charnwood Borough Council there is evidence of airborne dust from the process off site, an inspection and assessment shall be undertaken by the operator to identify the source and once the source is known, corrective action shall be taken without delay.

Abnormal events

8. A list of key arrestment plant and a written procedure for dealing with its failure shall be provided to Charnwood Borough Council.
9. When any visible escape of dust to the external atmosphere is observed or when any abnormal emissions, malfunction or breakdown likely to lead to an escape of dust is found, the operator shall:-
 - a) Investigate and undertake remedial action **immediately**
 - b) Adjust the process or activity to minimise the emissions until normal operations can be restored
 - c) Promptly record the events and actions taken in the log required by condition 2 and
 - d) If corrective action is not immediately effective then action to mitigate any effects shall be taken.
10. For all malfunctions or any breakdown leading to abnormal emissions likely to have an effect on the local community or in the event of the failure of key arrestment plant, Charnwood Borough Council shall be informed without delay.

PERMIT 025

Inspection of filtration plant

11. The mechanical shaker and dust arrestment plant shall be inspected for correct operation once per week. When defects are detected, corrective action shall be initiated immediately. The inspection shall be recorded in the log book in accordance with condition 2.
12. All fabric filters shall be fitted with pressure drop indicators.
13. Details of all checks and inspections shall be recorded in the log book (required under condition 2) on the day of inspection. These details shall include for each system: -
 - a. Date and time of the inspection
 - b. Description of work undertaken
 - c. Name of operative carrying out maintenance work.

Control Techniques

14. All cement and cementitious material required to be held on site shall be stored in 25kg bags or FIBCs.
15. All materials shall be stored, wrapped or otherwise enclosed to minimise dust emissions.
16. The packing of cement products into bags in the production area shall be carried out using enclosed, automatic bag filling plant fitted with extraction ducted to the UMA 452 G12 filter unit.

Storage

17. Storage areas where there is regular movement of vehicles shall be hard-surfaced and kept in good repair.

Conveying

18. The transfer of cement from the blender to the 2.5 tonne hoppers shall be by a fully enclosed mechanical screw feed conveyor.
19. Feed conveyors for aggregates shall be: -
 - a) Of sufficient capacity to handle maximum loads,
 - b) Fully enclosed.

PERMIT 025

Fugitive Emissions

20. A high standard of housekeeping shall be maintained.
21. All process buildings shall be cleaned regularly, according to a written maintenance programme. to minimise fugitive emissions. Particular attention shall be paid to clearing deposits on supporting structures and roofs
22. All spillages of finely divided materials shall be cleared by means of vacuum cleaning.
23. Major spillages shall be dealt with on the same day using, for example, wet handling methods or a vacuum cleaning system.
24. Waste skips shall be enclosed or tightly lidded to prevent or minimise wind entrainment of dust.

Management

25. Essential spares and consumables shall be held on site or shall be available at short notice from guaranteed local suppliers for all plant and the equipment concerned with the control of emissions to the air.

Training

26. Training of staff with responsibility for operating the process shall include;
 - Awareness of their responsibilities under the permit, in particular how to deal with conditions likely to give rise to dust emissions, such as the event of spillage
 - Minimising emissions on start-up and shut-down,
 - Action to minimise emissions during abnormal conditions.
27. The operator shall maintain a statement of training requirements for each operational post and keep a record of the training received by each person whose actions may have an impact on the environment. These documents shall be made available to an authorised officer of Charnwood Borough Council on request.

PERMIT 025

Maintenance

28. A written maintenance schedule shall be devised and implemented to cover all aspects of the process including all plant, buildings and the equipment concerned with the control of emissions to air. This shall be made available to a duly authorised officer from Charnwood Borough Council on request.
29. Planned preventative maintenance shall include conveyor systems.

Standard Conditions


30. If the operator proposes to make a change in operation of the installation he shall, at least 14 days before making the change, notify Charnwood Borough Council in writing. The notification must contain a description of the proposed change in operation. It is not necessary to make such a notification if an application to vary this permit has been made and the application contains a description of the proposed change. In this condition 'change of operation' means a change in the nature or functioning, or an extension, of the installation, which may have consequences for the environment.
31. The best available techniques shall be used to prevent or, where that is not practicable, reduce emissions from the installation which is not regulated by any other condition of this permit

End of Conditions

PERMIT 025

Appendix I/025

Site Location Plan



Explanatory Notes

These notes do not comprise part of the permit but contain guidance relevant to it.

Inspections

Regular inspections will be made by officers of Charnwood Borough Council (without prior notice), in order to check and ensure full compliance with this permit.

BAT (Best Available Techniques)

The Permit includes conditions that have to be complied with. It should be noted that aspects of the operation of the installation which are not regulated by conditions of the Permit are subject to the implied condition that the Operator shall use the best available techniques for preventing or, where that is not practicable, reducing emissions from the installation. Techniques include both the technology used and the way in which the installation is designed, built, maintained, operated and decommissioned.

Health and Safety at Work and Other Statutory Requirements

The responsibility you have under legislation for Health, Safety and Welfare in the workplace remains in force. In addition, the Permit does not relieve you of your obligations to obtain planning permission, hazardous substances consent, discharge consent from the Environment Agency, Building Regulations approval, or some Waste Disposal Licences.

Submission of Information

Note that the Permit requires the submission of certain information to the Local Authority (LA). In addition, the LA has the power to seek further information at any time under Regulation 60(1) EP Regulations provided that it acts reasonably.

Public Registers

Considerable information relating to Permits including the Application is available on public registers in accordance with Requirement 46(1) EP Regulations. Certain information may be withheld from public registers where it is commercially confidential or contrary to national security.

Variations to the Permit

This Permit may be varied in the future (by the LA serving a Variation Notice on the Operator). If the Operator itself wants any of the Conditions of the Permit to be changed, it must submit a formal Application. The Status Log within the Introduction will include summary details of this Permit, variations issued up to that point in time and state whether a consolidated version of the Permit has been issued.

Surrender of the Permit

Where the Operator intends to cease the operation of an installation (in whole or in part) The LA should be informed in writing, such notification must include the information specified in Regulation 24 or Regulation 25 and Part 1 of Schedule 5 of the EP Regulations.

Transfer of the Permit or part of the Permit

Before the Permit can be wholly or partially transferred to another person, an Application to transfer the Permit has to be made jointly by the existing and proposed holders. A transfer will be allowed unless the LA considers that the proposed holder will not be the person who will have control over the operation of the installation or will not comply with the conditions of the transferred Permit.

Annual Subsistence Fee

In accordance with Regulation 65(1) of the EPR Regulations the holder of a permit is required to pay a fee for the subsistence of the permit. This fee is payable annually on 1st April. You are advised that under the provisions of Regulation 22 of the EPR Regulations, if you fail to pay the fee due promptly, Charnwood Borough Council may revoke the permit. You will be contacted separately each year in respect to this payment.

Talking to us

Please quote the Permit Number if you contact Charnwood Borough Council about this Permit. To give a Notification under Condition 10 the Operator should use the telephone number 01509 634636 or any other number notified in writing to the Operator by Charnwood Borough Council for that purpose.

Appeals in relational to Environmental Permits

1. Anyone who is aggrieved by the conditions attached to a Permit can appeal to the Secretary of State for the Environment, Food and Rural Affairs within 6 months from the date of the permit issue.
2. Appeals must be made in accordance with the requirements of Regulation 31 and Schedule 6 of the EP Regulations and should be addressed as follows:

The Planning Inspectorate
Environment Team, Major and Specialist Casework
Room 4/04 Kite Wing
Temple Quay House,
2 The Square,
Temple Quay,
Bristol, BS1 6PN

3. An appeal brought under Regulation 31(b) in relation to the conditions in a permit will not suspend the effect of the conditions appealed against: the conditions must still be complied with.
4. There are no forms or charges for appealing. However for an appeal to be valid, appellants are legally required to provide information as detailed in paragraphs 2(1) and (2) of Schedule 6 of the EP Regulations., namely:
 - I. A statement of the grounds of appeal
 - II. A copy of any relevant permit
 - III. A copy of any relevant correspondence between the appellant and the regulator
 - IV. A statement indicating whether the appellant wishes the appeal to be in the form of a hearing or dealt with by way of written representations.
5. In determining an appeal against one or more conditions, the Act allows the Secretary of State in addition to quash any of the other conditions not subject to the appeal, to direct the local authority either to vary any of these other conditions or to add new conditions.