

# Charnwood Borough Council Strategic Flood Risk Assessment Level 2 Detailed Site Summary Tables



<b>Site details</b>	<b>Site Code</b>	<b>PSH476</b>																						
	<b>Address</b>	Woodgate Nurseries, Barkby Lane																						
	<b>Area</b>	2.09 ha																						
	<b>Current land use</b>	Commercial/ Residential																						
	<b>Proposed land use</b>	Residential																						
<b>Sources of flood risk</b>	<b>Topography</b>	<ul style="list-style-type: none"> <li>• The site is generally sloping downwards from the south to the north of the site.</li> <li>• There are a number of small buildings located within the site boundary.</li> <li>• The ground slope across the site generally has a gradient of less than 5%.</li> </ul>																						
	<b>Existing drainage features</b>	There are no existing drainage features located within the site boundary. The Barkby Brook is located 470m east of the site.																						
	<b>Fluvial</b>	<table border="1"> <thead> <tr> <th colspan="4"><b>Proportion of site at risk</b></th> </tr> <tr> <th><b>FZ3b</b></th> <th><b>FZ3a</b></th> <th><b>FZ2</b></th> <th><b>FZ1</b></th> </tr> </thead> <tbody> <tr> <td>0%</td> <td>0%</td> <td>23%</td> <td>77%</td> </tr> <tr> <th colspan="4"><b>Highest zone of risk (Risk of Flooding from Rivers and Sea)</b></th> </tr> <tr> <td colspan="4">Low</td> </tr> </tbody> </table> <p><i>The % Flood Zones quoted show the % of the site at flood risk from that particular Flood Zone/event, including the percentage of the site at flood risk at a higher risk zone, e.g. FZ2 includes the FZ3 %. FZ1 is the remaining area outside FZ2 (FZ2 + FZ1 = 100%)</i></p>				<b>Proportion of site at risk</b>				<b>FZ3b</b>	<b>FZ3a</b>	<b>FZ2</b>	<b>FZ1</b>	0%	0%	23%	77%	<b>Highest zone of risk (Risk of Flooding from Rivers and Sea)</b>				Low		
<b>Proportion of site at risk</b>																								
<b>FZ3b</b>	<b>FZ3a</b>	<b>FZ2</b>	<b>FZ1</b>																					
0%	0%	23%	77%																					
<b>Highest zone of risk (Risk of Flooding from Rivers and Sea)</b>																								
Low																								

# Charnwood Borough Council Strategic Flood Risk Assessment Level 2 Detailed Site Summary Tables



<b>Site details</b>	<b>Site Code</b>	<b>PSH476</b>				
	<b>Address</b>	Woodgate Nurseries, Barkby Lane				
	<b>Area</b>	2.09 ha				
	<b>Current land use</b>	Commercial/ Residential				
	<b>Proposed land use</b>	Residential				
<b>Surface Water</b>	<p><b>Available data:</b> The site is covered by the Environment Agency's Flood Map for Planning which uses 2D generalised modelling data.</p> <p><b>Flood characteristics:</b> The Environment Agency's Flood Map for Planning shows areas along the northern portion of the site to be located within Flood Zone 2. This is from a wide spreading of Flood Zone 2 from the Barkby Brook to the east of the site, where the topography is lower, and it flows towards the rail embankment west of the site. The remainder of the site is located within Flood Zone 1.</p>					
	<b>Proportion of site at risk (RoFfSW)</b>					
	<b>30-year</b>		<b>100-year</b>		<b>1,000-year</b>	
	0%		1%		7%	
	Max depths (m)					
	N/A		0.15-0.3m		0.3-0.6m	
	Max velocity (m/s)					
	N/A		0-0.25		1-2	
	<p><i>The % SW extents quoted show the % of the site at surface water risk from that particular event, including the percentage of the site at flood risk at a higher risk zone (e.g. 100-year includes the 30-year %)</i></p>					
	<p><b>Description of surface water flow paths:</b> Surface water flooding at the site is very low. There is some surface water flow during the 1,000-year event and, at a lesser extent, during the 100-year event. This flow path creates ponding laterally across the site at the northern end, close to Barkby Lane. Depths are also low given the negligible nature of the risk. RoFfSW takes account of building footprints so the flood risk may be affected by existing buildings on the site. It also only considers flood risk where the hazard rating is greater than 0.575. Therefore, it is recommended that further assessment is undertaken at the site-specific FRA stage.</p>					

# Charnwood Borough Council Strategic Flood Risk Assessment Level 2 Detailed Site Summary Tables



<b>Site details</b>	<b>Site Code</b>	<b>PSH476</b>		
	<b>Address</b>	Woodgate Nurseries, Barkby Lane		
	<b>Area</b>	2.09 ha		
	<b>Current land use</b>	Commercial/ Residential		
	<b>Proposed land use</b>	Residential		
	<b>Groundwater</b>	<p>The Areas Susceptible to Groundwater Flooding dataset shows the south of the site is located within a 1 km grid square where &lt;25% of the area is predicted to be at risk of groundwater flooding. The remainder of the site is located within a grid square where <math>\geq 50\%</math> &lt;75% of the area is predicted to be at risk of groundwater flooding.</p> <p>The AStGWF data should be used only in combination with other information, for example local data or historical data. It should not be used as sole evidence for any specific flood risk management, land use planning or other decisions at any scale. However, the data can help to identify areas for assessment at a local scale where finer resolution datasets exist. Ground investigations may be required at the site.</p>		
	<b>Reservoir</b>	The site is not shown to be at risk of reservoir flooding from the available <a href="#">online</a> maps, potentially causing flooding in the entire site.		
	<b>Flood history</b>	<p>There are no records of historic flooding at this site from the Environment Agency. No recorded historical flood incidents occurred within 1km of the proposed development site.</p> <p>Leicestershire County Council may hold additional records which are not available at this time. These records detail historical flood incidents from all sources, whereas the Environment Agency dataset only records incidents of fluvial, tidal or coastal flooding. The Lead Local Flood Authority should be contacted to obtain further details.</p>		
<b>Flood risk management infrastructure</b>	<b>Defences</b>	<b>Defence Type</b>	<b>Standard of Protection</b>	<b>Condition</b>
		N/A	N/A	N/A
	This site is not protected by any formal flood defences.			
	<b>Residual risk</b>	There is no residual risk present at the site.		
<b>Emergency planning</b>	<b>Flood warning</b>	<p>The site is situated within the Environment Agency's River Wreake Flood Alert Area.</p> <p>The site is not situated within an Environment Agency Flood Warning area.</p>		

## Charnwood Borough Council Strategic Flood Risk Assessment Level 2 Detailed Site Summary Tables



<b>Site details</b>	<b>Site Code</b>	<b>PSH476</b>
	<b>Address</b>	Woodgate Nurseries, Barkby Lane
	<b>Area</b>	2.09 ha
	<b>Current land use</b>	Commercial/ Residential
	<b>Proposed land use</b>	Residential
	<b>Access and egress</b>	<p>Access and egress to the site is available through Barkby Lane for all surface water and fluvial events up to the 1,000-year event (Flood Zone 2 and surface water). In these more extreme events, access is compromised to the north and should be sought from the south to Barkby Thorpe Lane. Alternatively, access may be possible on Barkby Lane if fluvial flood depths are shallow; this should be investigated and confirmed in a site-specific assessment.</p> <p>The depths, velocities, hazards, durations and speeds of onset of surface water and fluvial flooding along access/ egress routes should be investigated further in a site-specific assessment, to confirm whether access for emergency vehicles could still be obtained.</p>

# Charnwood Borough Council Strategic Flood Risk Assessment Level 2 Detailed Site Summary Tables



<b>Site details</b>	<b>Site Code</b>	<b>PSH476</b>
	<b>Address</b>	Woodgate Nurseries, Barkby Lane
	<b>Area</b>	2.09 ha
	<b>Current land use</b>	Commercial/ Residential
	<b>Proposed land use</b>	Residential
<b>Climate Change</b>	<b>Implications for the site</b>	<ul style="list-style-type: none"> <li>Increased storm intensities due to climate change may increase the extent, depth, velocity, hazard and frequency of both fluvial and surface water flooding.</li> <li>There is no detailed fluvial modelling available at the site to indicate fluvial flood risk at the site due to climate change. Flood Zone 2 can be used as a proxy, which shows that almost a quarter of the site could be at risk. As part of a site-specific flood risk assessment, latest EA climate change allowances will need to be considered in a detailed hydraulic model, to confirm the impact in the site.</li> <li>Climate change also needs to be considered for surface water events; at the site-specific stage, the 100-year +40% event is considered as part of surface water drainage strategies, or surface water modelling.</li> <li>The current day 1,000-year surface water extent provides an indication of the likely increase in extent of the more frequent events. This would require a detailed FRA to assess the site layout and design.</li> <li>Developers should consider SuDS strategies to reduce the impacts of climate change from surface water in a detailed site-specific FRA.</li> </ul>
<b>Requirements for drainage control and impact mitigation</b>	<b>Bedrock Geology</b>	The entire site's bedrock geology consists of mudstone, siltstone and sandstone.
	<b>Superficial Geology</b>	The site is underlain with largely Alluvium deposits consisting of clay, silt and sand however, the northern tip has River Terrace Deposits (undifferentiated) consisting of sand and gravel.
	<b>Soils</b>	The southern half of the site has slightly acid loamy and clayey soils with impeded drainage whilst the northern half has loamy and clayey floodplain soils with naturally high groundwater.
	<b>Source Protection Zone</b>	The site is not located within any Environment Agency designated Source Protection Zone.
	<b>Historic Landfill Site</b>	The site is not designated by the Environment Agency as previously being a landfill site.

# Charnwood Borough Council Strategic Flood Risk Assessment Level 2 Detailed Site Summary Tables



<b>Site details</b>	<b>Site Code</b>	<b>PSH476</b>
	<b>Address</b>	Woodgate Nurseries, Barkby Lane
	<b>Area</b>	2.09 ha
	<b>Current land use</b>	Commercial/ Residential
	<b>Proposed land use</b>	Residential
	<b>Broad scale assessment of possible SuDS</b>	<p>Implementation of SuDS at the site could provide opportunities to deliver multiple benefits including volume control, water quality, amenity and biodiversity. This could provide wider sustainability benefits to the site and surrounding area. Proposals to use SuDS techniques should be discussed with relevant stakeholders (LPA, LLFA and EA) at an early stage to understand possible constraints.</p> <p>Development at this site should not increase flood risk either on or off site. The design of the surface water management proposals should take into account the impacts of future climate change over the projected lifetime of the development.</p> <p>Proposed SuDS should be discussed with relevant stakeholders (LPA, LLFA and EA) at an early stage to understand possible opportunities and constraints.</p> <p>The following techniques are considered suitable for the site:</p> <ul style="list-style-type: none"> <li>• Most source control techniques are likely to be suitable. Mapping suggests that permeable paving may have to use non-infiltrating systems given the possible risk from groundwater.</li> <li>• Infiltration may be suitable. Mapping suggests a medium risk of groundwater flooding and underlying soils may be permeable. Further site investigation should be carried out to assess potential for drainage by infiltration. If infiltration is suitable it should be avoided in areas where the depth to the water table is &lt;1m.</li> <li>• Mapping suggests that the site slopes are suitable for all forms of detention. A liner maybe required due to the site potential groundwater flooding.</li> <li>• All filtration techniques are likely to be suitable. A liner maybe required to prevent the egress of groundwater.</li> <li>• All forms of conveyance are likely to be suitable. Where the slopes are &gt;5% features should follow contours or utilise check dams to slow flows. A liner maybe required to prevent the egress of groundwater.</li> </ul>

# Charnwood Borough Council Strategic Flood Risk Assessment Level 2 Detailed Site Summary Tables



<b>Site details</b>	<b>Site Code</b>	<b>PSH476</b>
	<b>Address</b>	Woodgate Nurseries, Barkby Lane
	<b>Area</b>	2.09 ha
	<b>Current land use</b>	Commercial/ Residential
	<b>Proposed land use</b>	Residential
<b>NPPF and planning implications</b>	<b>Exception Test requirements</b>	<p>The Local Authority have carried out the Sequential Test in line with national guidance. The Sequential Test will need to be satisfied based on fluvial and other sources of flood risk before the Exception Test is applied. Residential development is classified as 'More Vulnerable'. Commercial development is classified as 'Less Vulnerable'.</p> <p>It is recommended that proposed development will be sequentially located within Flood Zone 1 areas of the site, which may need to be confirmed through a site-specific assessment.</p> <p>The Exception test will need to be applied if:</p> <ul style="list-style-type: none"> <li>• More Vulnerable and Essential Infrastructure development is located in FZ3a and for Highly Vulnerable development located in FZ2.</li> <li>• Highly Vulnerable infrastructure should not be permitted within FZ3a and FZ3b.</li> <li>• More Vulnerable and Less Vulnerable Infrastructure should not be permitted within FZ3b.</li> </ul> <p>Development will not be permitted for the following scenario:</p> <ul style="list-style-type: none"> <li>• Highly vulnerable development within FZ3a.</li> <li>• Highly vulnerable, More vulnerable and / or Less vulnerable development within FZ3b.</li> </ul>

**Requirements and guidance for site-specific Flood Risk Assessment**

**Flood Risk Assessment:**

- At the planning application stage, a site-specific Flood Risk Assessment will be required for this site as development is located within Flood Zone 2 and may be subject to other sources of flooding and the development may introduce a more vulnerable use. It will also be required where development sites:
  - are 1 hectare or more in size;
  - contain land which has been identified by the Environment Agency as having critical drainage problems; or
  - contain land identified in the strategic flood risk assessment as being at increased flood risk in future.
- Other sources of flooding must be considered as part of any site-specific Flood Risk Assessment, including surface water and groundwater.
- Consideration should be given to the potential effects of climate change, particularly with respect to surface water. Proposals should consider the opportunity to include measures that provide for a reduction in the predicted surface water flood risk at existing development.
- A more detailed hydraulic model may be required at Flood Risk Assessment stage, to confirm Flood Zone 2 and climate change flood risk from the Barkby Brook.
- Climate change modelling should be undertaken using the relevant allowances for the type of development and level of risk.
- Where there is a reasonable likelihood of multiple sources of flood risk having significant impact in combination it is recommended that consideration is given to assessing the combined risks of these.
- Any FRA should be carried out in line with the National Planning Policy Framework; Flood Risk and Coastal Change Planning Practice Guidance, Charnwood Council's Local Plan policies and the LLFA's SuDS guidance.
- Consultation with the Local Authority, Local Lead Flood Authority and the Environment Agency should be undertaken at an early stage.
- The development should be designed using a sequential approach. Development should be steered away from areas of fluvial flood risk and surface water flow routes, preserving these spaces as green infrastructure. Development must be in line with Table 3: flood risk vulnerability and flood zone compatibility of the NPPG.

**Guidance for site design and making development safe:**

- The developer will need to show, through an FRA, that future users of the development will not be placed in danger from flood hazards throughout its lifetime. It is for the applicant to show that the development meets the objectives of the NPPF's policy on flood risk. For example, how the operation of any mitigation measures can be safeguarded and maintained effectively through the lifetime of the development. (Para 048 Flood Risk and Coastal Change PPG).
- Safe access and egress will need to be demonstrated in the 1 in 100-year plus climate change fluvial and rainfall events, using the depth, velocity and hazard outputs. Raising of access routes must not impact on surface water flow routes. Consideration should be given to the siting of access points with respect to areas of surface water flood risk.



# Charnwood Borough Council Strategic Flood Risk Assessment Level 2 Detailed Site Summary Tables



<b>Site details</b>	<b>Site Code</b>	<b>PSH476</b>
	<b>Address</b>	Woodgate Nurseries, Barkby Lane
	<b>Area</b>	2.09 ha
	<b>Current land use</b>	Commercial/ Residential
	<b>Proposed land use</b>	Residential
		<ul style="list-style-type: none"> <li>• Resilience measures will be required if buildings are situated in the flood risk area. Raising Finished Floor Levels above the design event may remove the need for resilience measures.</li> <li>• The risk from surface water flow routes should be quantified as part of a site-specific FRA, including a drainage strategy, to ensure that runoff from the development is not increased by placing development across any ephemeral surface water flow routes. A drainage strategy should help inform site layout and design to ensure there is no increase in runoff beyond the current greenfield rates.</li> <li>• On site attenuation schemes would need to be tested against the watercourse to ensure flows are not exacerbated downstream within the catchment.</li> <li>• New or re-development should adopt exemplar source control SuDS techniques to reduce the risk of frequent low impact flooding due to post-development runoff. Assessment for runoff should include allowance for climate change effects.</li> <li>• New development must seek opportunities to reduce overall level of flood risk at the site, for example by:             <ul style="list-style-type: none"> <li>○ Reducing volume and rate of runoff</li> <li>○ Relocating development to zones with lower flood risk</li> <li>○ Creating space for flooding.</li> </ul> </li> <li>• All development should adopt source control SuDS techniques to reduce the risk of frequent low impact flooding due to post development runoff.</li> <li>• SuDS should be designed to deliver multiple benefits including water quality, biodiversity, amenity, green infrastructure etc. Example features include swales, attenuation features, green roofs, rainwater capture and reuse and permeable paving.</li> <li>• Green infrastructure should be considered within the mitigation measures for surface water runoff from potential development and consider using Flood Zones 2 and 3 as public open space.</li> <li>• Assessment of runoff should include allowances for climate change effects.</li> <li>• Efforts should be made to limit runoff to greenfield rates and discharge rates from the site should not increase downstream flood risk.</li> </ul>

# Charnwood Borough Council Strategic Flood Risk Assessment Level 2 Detailed Site Summary Tables



<b>Site details</b>	<b>Site Code</b>	<b>PSH476</b>
	<b>Address</b>	Woodgate Nurseries, Barkby Lane
	<b>Area</b>	2.09 ha
	<b>Current land use</b>	Commercial/ Residential
	<b>Proposed land use</b>	Residential
<b>Key messages</b>		<p>The flood risk element of the Exception Test is likely to be passed if:</p> <ul style="list-style-type: none"> <li>• Development is limited to the 93% of the site outside of the Risk of Flooding from Surface Water zones and the 77% Flood Zone 1 and therefore should be steered away from the north of the site.</li> <li>• Safe access and egress to the north in association with the 1,000-year fluvial and surface water events will need to be considered as part of a site-specific flood risk assessment.</li> <li>• Areas in Flood Zone 2 (1,000-year extent) are used for the least vulnerable parts of the development in accordance with Table 2 in the NPPF.</li> <li>• If flood mitigation measures are implemented then they are tested to ensure that they will not displace water elsewhere (for example, if land is raised to permit development on one area, compensatory flood storage will be required in another).</li> <li>• Space for green infrastructure should be considered in the areas of highest flood risk.</li> </ul> <p>Refer to the 'detailed guidance for developers' section (above) for further information on the measures that are appropriate for this site.</p>
<b>Mapping Information</b>		
The key datasets used to make planning recommendations regarding this site was the Environment Agency's Risk of Flooding from Surface Water mapping. More details regarding data used for this assessment can be found below.		
<b>Flood Zones</b>	<p>Flood Zones 2 and 3 have been taken from the Environment Agency's Flood Zones (2020) and detailed modelling where present for Flood Zone 3b. In the absence of modelling, Flood Zone 3a has been used as an indication of Flood Zone 3b.</p> <p>It is recommended that a more detailed hydraulic model is constructed at the site-specific Flood Risk Assessment stage, to confirm flood risk from Flood Zone 2 and climate change from the Barkby Brook.</p>	
<b>Climate change</b>	Climate change was based on Flood Zone 2 to serve as an indication of possible extents. It is recommended that the latest EA's climate change allowances are modelled in a detailed hydraulic model as part of a site-specific Flood Risk Assessment.	

## Charnwood Borough Council Strategic Flood Risk Assessment Level 2 Detailed Site Summary Tables



<b>Site details</b>	<b>Site Code</b>	<b>PSH476</b>
	<b>Address</b>	Woodgate Nurseries, Barkby Lane
	<b>Area</b>	2.09 ha
	<b>Current land use</b>	Commercial/ Residential
	<b>Proposed land use</b>	Residential
<b>Fluvial depth, velocity and hazard mapping</b>		There is no available corresponding fluvial modelling data; therefore, the Risk of Flooding from Surface Water mapping can be used as this represents the floodplains of small watercourses. This should be explored further at the site-specific stage.
<b>Surface Water</b>		The Risk of Flooding from Surface Water has been used to define areas at risk from surface water flooding.
<b>Surface water depth, velocity and hazard mapping</b>		The surface water depth, velocity and hazard mapping for the 1 in 30-year (high risk), 1 in 100-year (medium risk) and 1 in 1,000-year (low risk) events is taken from the Environment Agency's Risk of Flooding from Surface Water mapping.